FWD 5 Speed



AISIN WARNER


FWD 5 Speed
A
B
C
D
E
F
696
281
586
185
184
284
596
868
864
102
142*
561
865
122
961
981
330
331
040
551
022
246
587
246
247
4-5 Planet
4-5 Clutch
4-5 Clutch Drum
3rd Gear Band
1-2 Reverse Planet
597
249*
248*
892
150*
110
130
854
566
893
976
966
341
340
1-2 Reverse Clutch
562
962AA
874
962
982
124
104
144
873
340
341
569
969
989
871
132
112
152
870
211
579
219
652
572
2nd Clutch
2nd Coast Clutch
2nd Sprag
2nd Clutch Hub
155
114
134
154
885
664
886
654
255
254
256
889
604
594
251
058
584
592
239
238
Low/Reverse Clutch
Low Sprag
Rear Planet
602
236
882
888
235
056
614
056
240
241
052
612
052
234
876
148*
108
128
878
146*
106
126
858
564
879
985
965
337
336
964
Rear Sun Gear
Forward Clutch
Direct Clutch
780
759
930
934
353
931
932
191
334
335
554
181
232
223
231*
233
180
999
Forward & Direct Drum
Forward/Direct Accum.
344
Rear Cover

55-50SN / 55-51SN (AF23/AF33/RE5F22A)

PART #	PAPER & RUBBER KIT	QTY	REFERENCE #
21000A	Paper & Rubber Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up	1	

PART #	OVERHAUL KIT	QTY	REFERENCE #
21002A	Overhaul Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up	1	

PART #	MASTER L/STEELS KIT	QTY	REFERENCE #
21004A	Master L/Steels Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up	1	

PART #	MASTER W/STEELS KIT	QTY	REFERENCE #
21006A	Master W/Steels Kit, AW55-50SN / AW55-51SN (5 Speed FWD/AWD) 2000-Up	1	

PART #	FILTERS	QTY	REFERENCE #
21010A	Filter, AW55-50SN / AW55-51SN (GM / Saab / Saturn / Volvo) 1999-Up (No Ribs On Filter)	1	
21010F	Filter, AW55-50SN / AW55-51SN (Volvo) / RE5F22A (Nissan & Infinity) 2001-Up (Ribbed)	1	



21010A | 21010F

PART #	BAND	QTY	REFERENCE #
21022A	Band, AW55-50SN / AW55-51SN 3rd Gear (2 1/16" Wide) (Double Wrap) 2000-Up	1	

PART #	BUSHINGS	QTY	REFERENCE #
21030A	Bushing Kit, AW55-50SN / AW55-51SN 2000-Up (Contains: 037A, 037AA, 052B, 034A, Two # 056B) (Does Not Have # 058 Or 040)(This Kit Fits The .876"OD Input Shaft On The #554 Drum)	1	
21030AA	Bushing Kit, AW55-50SN / AW55-51SN 2000-Up (Contains: # 037A, 037AA, 052B, 034A & Two 056A)(Does Not Have # 058 Or # 040)(This Kit Fits The .846"OD Input Shaft On The #554 Drum)	1	
21030AC	Bushing Kit, AW55-50SN/AW55-51SN 2000-Up (Combo) (11 Bushings)	1	
21034A	Bushing, AW55-50SN / AW55-51SN Pump Body (1.490"ID) 2000-Up	1	
21037A	Bushing, AW55-50SN / AW55-51SN Stator (Rear) Grooved (Brass) 2000-Up	1	
21037AA	Bushing, AW55-50SN / AW55-51SN Stator (Center) (Brass) 2000-Up	1	
21040A	Bushing, AW55-50SN / AW55-51SN 4-5 Clutch Drum (1.425"OD) 2000-Up	2	
21052A	Use 21056B (This Is The 2 Piece Type Bushing)	1	
21052B	Bushing, AW55-50SN / AW55-51SN Direct Clutch Hub With Sun Gear (1 Piece Type)(.870"ID) 2000-Up	1	
21056A	Bushing, AW55-50SN Rear Planet Sun Gear (Front & Rear) .845"ID (.970"OD) 2000-Up	2	
21056B	Bushing, AW55-51SN Rear Planet Sun Gear (Front & Rear) .870"ID (.970"OD) 2000-Up (Also Fits AW55-50SN Sun Gear With Hub #612 2000-Up)	2-4	
89058A	Bushing, AW55-50SN / AW55-51SN Rear Planet (#058)(Front) No Groove (1.165"ID) 2000-Up	2	
89058B	Bushing, AW55-50SN/AW55-51SN Rear Planet (#058)(Rear) With Groove (1.165"ID)	2	

PART #	METAL CLAD SEALS	QTY	REFERENCE #
57070A	Seal, AW55-50SN / AW55-51SN Pump	1	
21072A	Seal, AW55-50SN / AW55-51SN Linkage (.875"OD) (.440"ID) (Cast # NOK AE0371R) 2000-Up	1	
89076A	Seal, AW55-50SN / AW55-51SN Axle Both Sides (Some Volvo)(1.520"ID)(2.483"OD) 2000-Up	1-2	
21077A	Seal, AW55-50SN (Volvo) Axle (Bell Housing Side) (2.958"OD) 2000-Up	1	
21077C	Seal, AW55-50SN (GM) Axle (Bell Housing Side) (2.400"OD) 2005-Up	1	
21077D	Seal, AW55-50SN (Saturn) Axle (Bell Housing Side) (2.145"OD) 2002-Up	1	

PART #	FRICTION CLUTCH	QTY	REFERENCE #
21102A	Friction, AW55-50SN / AW55-51SN 4-5 Clutch (.068") 34 Teeth (4.483"OD) 2000-Up	4	
21102B	Friction, AW55-51SN 4-5 Clutch (.059")(34 Teeth)(4.482"OD) 2005-Up	4	
89104AA	Friction, AW55-50SN 2nd Clutch (.067") 40 Teeth (6.302"OD) 2000-Up	4	
89104AC	Friction, AW55-51SC 2nd Brake Clutch (.075")(40 Teeth) 2005-Up	4	
21106A	Use 89112A	4	
89112A	Friction, AW55-50SN/AW55-51SN 2nd Coast Clutch #112 & Direct Clutch #106 (.067")(34 Teeth) (4.260"OD)	4	
21106B	Friction, AW55-51SN Direct Clutch (.059") 34 Teeth (4.260"OD) 2005-Up	4	
21108A	Friction, AW55-50SN / AW55-51SN Forward Clutch (.068") 49 Teeth (5.375"OD) 2000-Up	4	
21110A	Friction, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.068") 47 Teeth (5.540"OD) 2000-Up	6	
89112A	Friction, AW55-50SN / AW55-51SN 2nd Coast Clutch (.067") 34 Teeth (4.260"OD) 2000-Up	3	
89114A	Friction, AW55-50SN/AW55-51SN Low/Reverse Clutch (.067") 33 Teeth (6.302"OD)	4	
21114B	Use 89114A	5	

PART #	STEEL CLUTCH	QTY	REFERENCE #
21122A	Use 89126AA	4	
89126AA	Steel, AW55-50SN / AW55-51SN 4-5 Clutch (.071")(18 Teeth)(3.582"ID) 2000-Up	1	
89124AC	Steel, AW55-50SN / AW55-51SN 2nd Clutch (.071") 10 Teeth (5.538"ID) 2000-Up	4	
21126A	Use 89126A	4	
89126A	Steel, AW55-50SN / AW55-51SN Direct Clutch (.071")(12 Teeth)(3.582"ID) 2000-Up	4	
21128A	Use 89128AA	4	
89128AA	Steel, AW55-50SN / AW55-51SN Forward Clutch (.077")(12 Teeth)(4.491"ID) 2000-Up	4	
21130A	Steel, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.070") (4.899"ID) 2000-Up	6	
89132A	Steel, AW55-50SN / AW55-51SN 2nd Coast Clutch (.071") 8 Teeth (3.582"ID) 2000-Up	2	
21134A	Steel, AW55-50SN / AW55-51SN Low/Reverse Clutch (.070") (5.655"ID) 2000-Up	3-4	

PART #	PRESSURE PLATES	QTY	REFERENCE #
21142AA	Pressure Plate, AW55-50SN / AW55-51SN 4-5 Clutch (Selective) 18 Teeth (3.590"ID) 2000-Up	1	
21144A	Pressure Plate, AW55-50SN / AW55-51SN 2nd Clutch (.142") 10 Teeth (5.540"ID) 2000-Up	1	
21144AA	Pressure Plate, AW55-50SN / AW55-51SN 2nd Clutch (.150") 10 Teeth (5.540"ID) 2000-Up	1	
89146A	Pressure Plate, AW55-50SN / AW55-51SN Direct Clutch (.150") 12 Teeth (3.580"ID) 2000-Up	1	
89148A	Pressure Plate, AW55-50SN Forward Clutch (Top) 12 Teeth (.151") 4.490"ID (Stepped To .197") 2000-Up	1	
89148AA	Pressure Plate, AW55-50SN Forward Clutch (Top) 12 Teeth (.150") 4.490"ID (Flat) 2000-Up	1	
21148B	Pressure Plate, AW55-51SN Forward Clutch (.205") 12 Teeth (Flat) 2000-Up	1	
21150AA	Pressure Plate, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (Top) Selective (12 Teeth) (4.890"ID) 2000-Up	1	
89152A	Pressure Plate, AW55-50SN 2nd Coast Clutch (Top) .138" (12 Spring Guides) 2000-Up	1	
21152B	Pressure Plate, AW55-51SN 2nd Coast Clutch (Top) .138" (8 Spring Guides) 2000-Up	1	
21154A	Use 21155AA	1	
21154B	Pressure Plate, AW55-51SN Low/Reverse Clutch (.098") 13 Teeth (5.655"ID) 2000-Up	1	
21155AA	Apply Plate, AW55-50SN / AW55-51SN Low/Reverse Clutch (Selective) 13 Teeth (5.660"ID) 2000-Up (Also Fits AW55-50SN #154 Pressure Plate)	1-2	

PART #	VALVE BODY KIT	QTY	REFERENCE #
T21165A	Valve Body Kit, AW55-50SN 2000-Up (Transgo)	1	

PART #	SEALING RINGS	QTY	REFERENCE #
21175AT	Ring Kit, AW55-50SN / AW55-51SN (Teflon) 2000-Up	1	
89180AT	Ring, AW55-50SN / AW55-51SN Forward & Direct Drum Shaft (Small) Rear (Teflon) (Butt-Joint) 2000-Up	1	
21181AT	Ring, AW55-50SN / AW55-51SN Forward & Direct Clutch (Teflon) (Scarf Cut Joint) 2000-Up	3	
21184AT	Ring, AW55-50SN / AW55-51SN 4-5 Planet Shaft Pilot To Rear Cover (Teflon) (Scarf Cut Joint) 2000-Up	1	
21185AT	Ring, AW55-50SN / AW55-51SN 4-5 Clutch (Teflon) (Scarf Cut Joint) 2000-Up	2	
21191AT	Ring, AW55-50SN / AW55-51SN Forward & Direct Accummulator (Teflon) (Scarf Cut Joint) 2000-Up	1	

PART #	WASHERS & BEARINGS	QTY	REFERENCE #
89211A	Washer, AW55-51SN Stator To Sprag Race (3 Tab Plastic) 2.919”OD (1.847”ID) 2000-Up	1	
21211A	Washer, AW55-50SN Stator To Sprag Race (3 Tab Metal) (.056” Thick) 2.460”OD (1.315”ID) 2000-Up	1	
89219A	Washer, AW55-50SN / AW55-51SN 2nd Coast Clutch Hub To 2nd Clutch Hub (3 Tab Plastic) (.073” Thick, 3.023”OD, 2.213”ID) 2000-Up	1	
89221A	Washer, AW55-50SN / AW55-51SN 2nd Coast Clutch Drum To Transfer Gear (3 Tab Plastic) .078” Thick (3.905”OD) (2.216”ID) 2000-Up	1	
21223A	Caged Needle Bearing, AW55-50SN Forward & Direct Drum Shaft To Rear Cover (13 Needles) .735”OD (Cast # KOYO BMK131914J) 2000-Up	1	
21223B	Caged Needle Bearing, AW55-51SN Forward & Direct Drum Shaft To Rear Cover (10 Needles) .835”OD (Cast # KOYO BKM132114BJ) 2000-Up	1	
89231A	Race, AW55-50SN / AW55-51SN Forward & Direct Drum To Rear Cover (.031” Thick) .536”ID (1.605”OD) 2000-Up	1	
21232A	Bearing, AW55-50SN / AW55-51SN Forward & Direct Drum To Rear Cover (.117” Thick) .910”ID (1.640”OD) 2000-Up	1	
21233A	Race, AW55-50SN Forward & Direct Drum To Rear Cover (Rear) (.031” Thick) .638”ID (1.604”OD) 2000-Up	1	
21233B	Race, AW55-51SN Forward & Direct Drum To Rear Cover (Rear) (.031” Thick) .867”ID (1.604”OD) 2000-Up	1	
21234B	Bearing W/Races, AW55-51SN Sun Gear With Hub To Forward/Direct Drum (.140” Thick) 1.700”OD (.903”ID) 2000-Up	1	
21235A	Bearing W/Race, AW55-50SN / AW55-51SN Ring Gear Hub To Direct Clutch Hub (.110” Thick) 2.547”OD (1.975”ID) 2000-Up	1	
89236A	Race, AW55-50SN / AW55-51SN Rear Hub To Sungear (4 Legs) (.031” Thick) 2.903”OD (2.090”ID) 2000-Up	1	
21238A	Bearing W/Race, AW55-50SN / AW55-51SN Rear Planet To Hub (2.515”OD) (1.831”ID) 2000-Up	1	
21239A	Race, AW55-50SN Rear Planet To Hub (2.395”OD) (1.705”ID) 2000-Up	1	
21239B	Race, AW55-51SN Rear Planet To Hub (2.395”OD) (1.975”ID) 2000-Up	1	
21240A	Bearing W/Race, AW55-50SN Rear Sun Gear To Sun Gear With Hub (.110” Thick) 1.505”OD (.912”ID) 2000-Up	1	
21241A	Race, AW55-50SN Rear Sun Gear To Sun Gear With Hub (.031” Thick) 1.370”OD (.912”ID) 2000-Up	1	
21246A	Washer, AW55-50SN / AW55-51SN 1-2 Reverse Planet (Both Sides) Plastic (3 Locking Tabs) .039” Thick (3.040”OD) 2000-Up	2	
21247A	Bearing, AW55-50SN / AW55-51SN Sun Gear To 1-2 Reverse Planet Ring Gear (.118” Thick) 2.287”OD (1.563”ID) 2000-Up	1	
21248A	Bearing W/Race, AW55-50SN / AW55-51SN 1-2 Reverse Planet Ring Gear To Rear Cover (.169” Thick) 1.460”ID (2.262”OD) 2000-Up	1	
21249BA	Shim, AW55-51SN 1-2 Reverse Planet Ring Gear To Rear Cover (Selective) (1.438”ID0 (2.265”OD) 2000-Up	1	
89251A	Bearing, AW55-50SN / AW55-51SN Rear Hub To Planet (3.493”OD) .140” Thick (2.900”ID) 2000-Up	1	
21254A	Bearing W/Race, AW55-50SN / AW55-51SN Drive Transfer Gear To Rear Ring Gear Hub (.108” Thick) 2.435”OD (1.820”ID) 2000-Up	1	
89255A	Race, AW55-50SN / AW55-51SN Ring Gear Hub (Front) 2.275”OD (1.732”ID) (.078” Thick) 2000-Up	1	
21256A	Washer, AW55-50SN Sprag To Rear Ring Gear Hub (.100” Thick) 3.860”ID (Stepped) With 4 Half Moon Cuts 2000-Up	1	
21273AA	Shim, AW55-50SN / AW55-51SN Pinion To Bearing #283 (Selective) 2.790”OD (1.943”ID) 2000-Up	1	
21274A	Bearing, AW55-50SN / AW55-51SN Pinion To Bearing #283 (.077” Thick) 2.775”OD (1.935”ID) 2000-Up	1	
89277A	Use 89279A	1	
89279A	Cone Bearing, AW55-50SN / AW55-51SN Driven Transfer (30 Rollers) 2.085”ID (.525” Thick) (Cast # NSK R-53-2) 2000-Up (Also Fits AW55-50SN/AW55-51SN Cone Bearing #277 2000-Up)	2	
21280A	Cup Race, AW55-50SN / AW55-51SN Driven Transfer Gear (Both Sides) 3.467”OD (Cast # NSK R50-31A) 2000-Up	2	
21281A	Cone Bearing, AW55-50SN / AW55-51SN Driven Transfer Gear (Both Sides) 30 Rollers (2.350”ID) (Cast # NSK R50-31) 2000-Up	2	
89282A	Inner Race, AW55-50SN / AW55-51SN Pinion Bearing To Bell (1.789”OD) .805” Thick (KOYO 06NU0722C3) 2000-Up	1	
89283A	Roller Bearing, AW55-50SN / AW55-51SN (Volvo, GM, Saturn) Bell To Underdrive Planet (2.795”OD) .865” Thick (RNU090722) (16 Rollers) 2000-Up	1	

21284A	Caged Needle Bearing, AW55-50SN / AW55-51SN Rear Cover To 4-5 Planet Shaft (11 Needles) .528" Thick (2.125"OD) (Cast # KOYO RNU060514) (Stays In Rear Cover) 2000-Up	1	
21288A	Cup Race, AW55-50SN / AW55-51SN Differential Housing To Case (.765" Thick) 3.386"OD (Cast # KOYO ST4286-N or G) 2000-Up	1	
21289A	Cone Bearing, AW55-50SN / AW55-51SN Differential Housing To CASe (24 Rollers) 2.165"ID (Cast # KOYO ST5586) 2000-Up	1	
21290AA	Shim, AW55-50SN / AW55-51SN Differential Bearing To Case (Selective) 3.373"OD (2.282"ID) 2000-Up	1	
21291A	Cup Race, AW55-50SN / AW55-51SN Differential To Bell Housing (3.542"OD) (Cast # KOYO ST5790-9) 2000-Up	1	
21292A	Cone Bearing, AW55-50SN / AW55-51SN Differential To Bell Housing (27 Rollers) 2.245"ID (Cast # KOYO ST5790) 2000-Up	1	
21294A	Caged Needle Bearing, AW55-50SN / AW55-51SN Linkage (.925" Long, .708"OD) (Cast # NSK 0C501204) 2000-Up	1	

PART #	GASKETS & RUBBER COMPONENTS	QTY	REFERENCE #
21301A	Gasket, AW55-50SN / AW55-51SN Pan (9 Bolt) 2000-Up	1	
21308A	Gasket, AW55-50SN/AW55-51SN Line Pressure Control Accumulator Cover 2000-Up	1	
67311B	O-Ring, AW55-50SN / AW55-51SN Pump	1	
21312A	Gasket, AW55-50SN Valve Body Cover 2000-Up	1	
21316A	Gasket, AW55-50SN/AW55-51SN Lock-Up Relay Valve Cover 2000-Up	1	
21320A	Gasket, AW55-50SN/AW55-51SN Front Valve Body To Spacer Plate 2000-Up	1	
21320AK	Gasket Set, AW55-50SN / AW55-51SN Valve Body 2000-Up	1	
21321A	Gasket, AW55-50SN/AW55-51SN Front Valve Body Spacer Plate To Middle Valve Body 2000-Up	1	
21322A	Gasket, AW55-50SN/AW55-51SN (Volvo/Renault) Middle Valve Body To Middle Valve Body Spacer Plate 2000-Up	1	
21322C	Gasket, AW55-50SN/AW55-51SN (All Except Volvo/Renault) Middle Valve Body To Middle Valve Body Spacer Plate 2000-Up	1	
21323A	Gasket, AW55-50SN/AW55-51SN (Volvo/Renault) Middle Valve Body Spacer Plate To #1 Rear Valve Body 2000-Up	1	
21323C	Gasket, AW55-50SN/AW55-51SN (All Except Volvo/Renault) Middle Valve Body Spacer Plate To # 1 Rear Valve Body 2000-Up	1	
21324A	Gasket, AW55-50SN/AW55-51SN #1 Rear Valve Body To #2 Rear Valve Body Spacer Plate 2000-Up	1	
21327A	Gasket, AW55-50SN/AW55-51SN # 2 Rear Valve Body Spacer Plate To # 2 Rear Valve Body 2000-Up	1	
21344A	Seal, AW55-50SN / AW55-51SN Case To Rear Cover (.113" Thick) (.590"OD) 2000-Up (Also Valve Body To Case (Takes 2) 2000-Up)	5-7	

PART #	TECHNICAL MANUALS	QTY	REFERENCE #
21400A	Technical Manual, AW55-50SN	1	

PART #	ELECTRICAL COMPONENTS	QTY	REFERENCE #
21410A	Switch, AW55-50SN (Volvo) PRNDL (With Wire Harness With 9 Prong Connector) 2000-Up	1	
21410B	Switch, AW55-51SN (Volvo) PRNDL (With Wire Harness With 7 Prong Connector) 2000-Up	1	
21410C	Switch, AW55-50SN (GM, Saturn) PRNDL (No Wire Harness) (With 9 Prong Connector) 2002-Up	1	
21421A	Solenoid, AW55-50SN 1-2 Shift (S1) (1 Prong Black Connector 5/8" Long) (.800"OD Body) (.750" To .850" Wide Bracket) 2000-Up	1	
21421B	Solenoid, AW55-51SN 1-2 Shift (S1) (1 Prong Black Connector 5/8" Long) (.800"OD Body) (.550" Wide Bracket) 2000-Up	1	
21422A	Solenoid, AW55-50SN / AW55-51SN 2-3 Shift (S3) (1 Prong Grey/Green Connector 5/8" Long) (.950"OD Body, 1/2 Plastic) (.560" Wide Bracket) 2000-Up	1	
21423A	Solenoid, AW55-50SN / AW55-51SN 3-4 Shift (S2) (1 Prong Grey/Green Conector 5/8" Long) (.950"OD Body, 1/2 Plastic) (.560" Wide Bracket) 2000-Up	1	
21425A	Solenoid, AW55-50SN / AW55-51SN TCC (2 Prong Black Connector 1 1/16" Long) (3 1/2" Long Overall) 2000-Up	1	
21425AK	Solenoid Kit, AW55-50SN (3 Solenoids) Contains: #425 TCC (Or SLU), #428 Line Pressure (Or SLT), #435 Shift Pressure Control (Or SLS) 2000-Up	1	
21428A	Solenoid, AW55-50SN Line Pressure (SLT) (2 Prong Blue Connector 1 1/16" Long) (3 7/8" Long Overall) 2000-Up	1	
21428AK	Solenoid Kit, AW55-50SN (2 Solenoids) Contains: #425 Line Pressure (Or SLT), and #435 Shift Pressure Control (Or SLS) 2000-Up	1	
21428B	Solenoid, AW55-51SN Line Pressure (SLT) (2 Prong Blue Connector 1 1/16" Long) (4" Long Overall) 2000-Up	1	

55-50SN / 55-51SN (AF23/AF33/RE5F22A)

PART #	ELECTRICAL COMPONENTS (Continued)	QTY	REFERENCE #
21430A	Solenoid, AW55-50SN Reverse (S5) (1 Prong Greeen Connector 5/8" Long) (.950"OD Body, 1/2 Plastic) 2000-Up	1	
21430B	Solenoid, AW55-51SN Reverse (S5) (1 Prong Red Connector 5/8" Long) (.808"OD Body, All Metal) 2000-Up	1	
21435A	Solenoid, AW55-50SN Shift Pressure Control (2 Prong Green Connector 1 1/16" Long) (3 7/8" Long Overall) 2000-Up	1	
21435B	Solenoid, AW55-51SN Shift Pressure Control (2 Prong Green Connector 1 1/16" Long) (4" Long Overall) 2000-Up	1	
21438A	Sensor Set, AW55-50SN (Volvo) Input & Output (With Wire Harness & 4 Wire Connector) 2000-Up	1	
21438B	Sensor Set, AW55-51SN (Volvo) Input & Output (2 Blade Connector) (Wire Harness Is Not Made To Sensors) 2000-Up (Also Fits AW55-50SN (GM, Saturn, Nissan 2000-Up)	2	
21440A	Solenoid, AW55-50SN / AW55-51SN 4-5 Shift (S4) (1 Prong Blue Connector 5/8" Long) (.950"OD Body, 1/2 Plastic) 2000-Up	1	
21446A	Wire Harness, AW55-50SN (Volvo) Internal/External (With 2 Grey External Connectors, One Has 8 Wires And One Has 5 Wires) With Pass Thru Case Connector and Internal Connectors With Temperature Sensor) 2000-Up	1	
21446B	Wire Harness, AW55-51SN (Volvo) Internal/External (With One Brown 7 Wire And One Grey 6 Wire External Connector)(With Pass Thru Case Connector And Internal Connectors With Temperature Sensor) 2000-Up	1	
21446C	Wire Harness, AW55-50SN (GM, Saturn) Intenal (With 13 Prong Case Connector) 2002-Up	1	

PART #	MISCELLANEOUS COMPONENTS	QTY	REFERENCE #
21492A	Drain Plug, AW55-50SN (Hex Head) 2000-Up	1	
21492B	Drain Plug, AW55-51SN (Hex Head) (Can Use 21492A)	1	

PART #	HARD PARTS	QTY	REFERENCE #
89510A	Pump Body, AW55-50SN / AW55-51SN (.422" Thick Gear) (8 Bolt Cast Iron) 2000-Up	1	
21520A	Stator, AW55-50SN / AW55-51SN (Aluminum) (.846"ID Bushing) (Uses A 2 Piece Piston # 962) (Uses A Pressure Plate # 89152A With 12 Spring Guides) 2000-Up	1	
21520A-1	Stator, AW55-50SN / AW55-51SN (Aluminum) (.876"ID Bushing)(Uses A 2 Pice Piston # 962) (Uses A Pressure Plate # 89152A With 12 Spring Guides) 2000-Up	1	
21520AA	Stator, AW55-50SN / AW55-51SN (Aluminum) (Uses A 2 Piece Piston # 962) (Uses A Pressure Plate # 21152B With 8 Spring Guides) 2000-Up	1	
89530A	Pump Gears, AW55-50SN / AW55-51SN (.422" Thick) 2000-Up	1	
21544A	Pump Plate, AW55-50SN / AW55-51SN (.060" Thick) (8 7/16"OD) 2000-Up	1	
21551A	Drum, AW55-50SN / AW55-51SN 4-5 Clutch (With 50 Teeth 1-2 Reverse Sun Gear And 32 Teeth 4-5 Sun Gear)(4 Clutch With 6 Holes In Band Surface) 2000-Up	1	
21554A	Drum, AW55-50SN Forward & Direct Clutch (20 Splines) (7 Lube Holes In Shaft) 2000-Up	1	
21554B	Drum, AW55-51SN Forward & Direct Clutch (20 Splines) (6 Lube Holes In Shaft) 2000-Up	1	
89554B	Drum, AW55-50SN Forward & Direct Clutch (20 Splines)(11" Long Shaft)(12 Teeth Steels)(With 8 Lube Holes In Shaft) (.846"OD Of Bushing Lands On Shaft)	1	
89554BA	Drum, AW55-50SN Forward & Direct Clutch (20 Splines)(11" Long Shaft)(12 Teeth Steels)(With 8 Lube Holes In Shaft)(.876"OD Of Bushing Lands On Shaft)	1	
21561A	Piston Kit, AW55-50SN / AW55-51SN 4-5 Clutch 2000-Up	1	
21562A	Piston Kit, AW55-50SN 2nd Clutch (With 12 Spring Retainer) 2000-Up	1	
21562B	Piston Kit, AW55-51SN 2nd Clutch (With 8 Spring Retainer) 2000-Up	1	
21564A	Piston Kit, AW55-50SN Forward & Direct Clutch (Direct Piston Is .505" Thick At The Edge) 2000-Up	1	
21564B	Piston Kit, AW55-51SN Forward & Direct Clutch (Direct Piston Is .487" Thick At The Edge) 2000-Up	1	
21566A	Piston Kit, AW55-50SN / AW55-51SN 1-2 Reverse Clutch 2000-Up	1	
89567A	Piston Kit, AW55-50SN Low/Reverse (1.222" Thick x 6 1/4"OD Piston) 15 Spring Retainer (.775" Thick) (6 5/16"OD Snap Ring) 2000-Up	1	
21567B	Piston Kit, AW55-51SN Low/Reverse Clutch (1.175" Thick) (6 1/4"OD Piston) 2000-Up	1	
21569A	Piston Kit, AW55-50SN / AW55-51SN 2nd Coast Clutch (Cast # B1-3) 2000-Up	1	
21569AA	Piston Kit, AW55-50SN / AW55-51SN 2nd Coast Clutch (Cast # B1-4) 2000-Up	1	
21572A	Hub, AW55-50SN / AW55-51SN 2nd Coast Clutch (40 Teeth) (2.515"ID) 2000-Up	1	
21579A	Hub, AW55-50SN With Inner Race (Uses A Metal Washer #211) 2000-Up	1	
21579B	Hub, AW55-51SN With Inner Race (Uses A Plastic Washer #211) 2000-Up	1	
21584A	Planet, AW55-50SN (Volvo) Rear (8 Gear Steel) (Uses A 25 Teeth Sun Gear #614) 2000-Up	1	
21584B	Planet, AW55-51SN (Volvo, GM, Saturn) Rear (8 Gear Steel) (Uses A 27 Teeth Sun Gear #614) 2000-Up	1	

21586A	Planet, AW55-50SN / AW55-51SN 4-5 (5 Gear) Uses A 32 Teeth Sun Gear (With 9" Long Shaft) 2000-Up	1
21587A	Planet, AW55-50SN / AW55-51SN 1-2 Reverse (5 Gear) Uses A 50 Teeth Sun Gear (1.284" Thick) 2000-Up	1
21592A	Ring Gear, AW55-50SN (Volvo/GM/Saturn) Rear Planet (83 Teeth) (1.105" Thick) 2000-Up	1
21592B	Ring Gear W/Hub, AW55-51SN (Volvo) Rear Planet (87 Teeth) (1.030" Thick) (Comes With 2 Snap Rings #882) 2000-Up	1
21594A	Ring Gear, AW55-50SN (Volvo, GM) Rear Planet (2.085" Thick) 33 Lugs (99 Teeth) For Lug Type Sprag 2000-Up	1
21594B	Ring Gear, AW55-51SN (Volvo, SAturn) Rear Planet (2.160" Thick) 33 Lugs (87 Teeth) For Roller Sprag 2000-Up	1
21596A	Ring Gear, AW55-50SN / AW55-51SN 4-5 Planet (67 Teeth) (1.198" Thick) 2000-Up	1
21597A	Ring Gear, AW55-50SN 1-2 Reverse Planet (82 Teeth) .120" Deep Pocket Where Bearing #248 Rides 2000-Up	1
21597B	Ring Gear, AW55-51SN 1-2 Reverse Planet (82 Teeth) .150" Deep Pocket Where Bearing #248 Rides 2000-Up	1
21602A	Hub, AW55-50SN Rear Planet Ring Gear (83 Teeth) 1.900"ID (4 Holes) 2000-Up	1
89604A	Ring Gear Hub, AW55-50SN (99 Teeth) (4.740"ID) 2000-Up	1
21604B	Ring Gear Hub, AW55-51SN (87 Teeth) (1.880"ID) 2000-Up	1
21612A	Sun Gear, AW55-50SN With Direct Clutch Hub (37 Teeth) (28 Spline Hub) (2.055" Tall) (.850"ID Of Bushing) 2000-Up	
21612AA	Sun Gear, AW55-50SN With Direct Clutch HUb (37 Teeth) (28 Spline Hub) (2.055" Tall) (.876"ID Of Bushing) 2000-Up	1
21614A	Sun Gear, AW55-50SN Rear (25 Teeth) (4 1/2" Long) (.850"ID Of Bushing) 2000-Up	1
21614AA	Sun Gear, AW55-50SN Rear (25 Teeth) (4 1/2" Long) (.876"ID Of Bushing) 2000-Up	1
21614B	Sun Gear, AW55-51SN Rear (27 Teeth) (6 3/4" Long With Sun Gear And Hub # 612) 2000-Up	1

PART #	SPRAGS & ONE WAY CLUTCHES	QTY	REFERENCE #
89652	Sprag, AW55-50SN / AW55-51SN 2nd Sprag (18 Elements) (.525" Thick) 2000-Up (Can Use 97652)	1	
97652	One Way Clutch, AW55-50SN/AW55-51SN 2nd Sprag	1	
21654A	Use 67654A.	1	
67654A	Sprag, AW55-50SN Low Sprag (20 Elements)(4.810"OD)	1	
21654B	Sprag, AW55-51SN Low (20 Elements) (Plastic Cage) 2000-Up	1	
21664A	Inner Race, AW55-50SN (Volvo, GM) Low Sprag (Lug Type Sprag) 2000-Up	1	
21664B	Inner Race, AW55-50SN / AW55-51SN (Volvo, Saturn) Low Sprag (Roller Type Sprag) 2000-Up	1	

PART #	HARD PARTS (Continued)	QTY	REFERENCE #
21690A	Parking Gear, AW55-50SN / AW55-51SN (18 Lugs) .513" Thick Lugs (4.883"OD) 2000-Up	1	
21696A	Crush Sleeve, AW55-50SN / AW55-51SN (.485" Thick) 2.675"OD (2.395"ID) 2000-Up	1	
89696B	Crush Sleeve, AW55-50SN / AW55-51SN Drive Transfer Bearings (2.108"ID) (.480" Thick) 2000-Up	1	
21698A	Oil Deflector, AW55-50SN / AW55-51SN (Volvo) Differential (4 Bolt) (Goes In The Bell Housing) (2 5/8" Tall) (Bottom Bolt Is Flush On Lip) 2000-Up	1	
21698C	Oil Deflector, AW55-50SN (GM) Differential (4 Bolt) (Goes In Bell Housing) (3 1/2" Tall) 2005-Up	1	
21698D	Oil Deflector, AW55-50SN (Saturn) Differential (4 Bolt) (Goes In Bell Housing) (2 5/8" Tall) (Bottom Bolt Is Countersunk In Lip)	1	
21699A	Oil Deflector, AW55-50SN / AW55-51SN (Volvo) Differential (2 Bolt) (Goes In Case) 2000-Up	1	
21699C	Oil Deflector, AW55-50SN (GM, Saturn) Differential (3 Bolt) (Goes In Case) 2002-Up	1	
21710A	Gear, AW55-50SN / AW55-51SN Drive Transfer (56 Teeth, 3 Groove) (.790" Thick 2.315" Tall) (20 Splines) 2000-Up	1	
89711A	Sleeve, AW55-50SN / AW55-51SN Drive Transfer Bearing Retainer (3.928"OD) (1.551" Thick) 2000-Up	1	
21712A	Gear, AW55-50SN / AW55-51SN (Volvo, Satrun) Driven Transfer (57 Teeth, 4 Grooves) (6 1/4"OD) 2000-Up	1	
21712C	Gear, AW55-50SN (GM) Driven Transfer (57 Teeth, 4 Grooves) 2005-Up	1	
21715A	Differential W/Ring Gear, AW55-50SN (Volvo) (61 Teeth, 1 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side And 27 Roller Bearing On Bell Housing Side) (Housing Is 7 1/8" Tall With 4 Windows) 2000-Up	1	
21715B	Differential W/Ring Gear, AW55-51SN (Volvo) (59 Teeth, 2 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side And 27 Roller Bearing On Bell Housing Side) 2000-Up	1	
21715C	Differential W/Ring Gear, AW55-50SN (GM) (61 Teeth, 5 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Bell Housing Side) (Housing Is 5 1/4" Tall With 4 Windows) 2005-Up	1	

PART #	HARDPARTS (Continued)	QTY	REFERENCE #
21715D	Differential W/Ring Gear, AW55-50SN (Saturn) (61 Teeth, 3 Groove) 12 Bolt (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Bell Housing Side) (Housing Is 8 1/4" Tall With 2 Windows) (AWD) 2002-Up	1	
21716A	Differential Housing, AW55-50SN / AW55-51SN (Volvo) (12 Bolt) 7 1/8" Tall (24 Roller Bearing On Ring Gear Side And 27 Roller Bearing On Differential Housing Side) (With 4 Windows) 2000-Up	1	
21716C	Differential Housing, AW55-50SN (GM) 12 Bolt (5 1/4" Tall) (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Differential Housing Side) (With 4 Windows) 2005-Up	1	
21716D	Differential Housing, AW55-50SN (Saturn) 12 Bolt (8 1/2" Tall) AWD (24 Roller Bearing On Ring Gear Side & 27 Roller Bearing On Differential Side) (With 2 Windows) 2002-Up	1	
21720A	Ring Gear, AW55-50SN Differential (61 Teeth, 1 Groove) (12 Bolt) 2000-Up	1	
21720B	Ring Gear, AW55-51SN Differential (59 Teeth, 2 Groove) (12 Bolt) 2000-Up	1	
21730A	Pinion Gear, AW55-50SN (25 Teeth, 1 Groove) 1.590" Thick (3.670"OD) 2000-Up	1	
21730B	Pinion Gear, AW55-51SN (26 Teeth, 2 Groove) 1.590" Thick (3.835"OD) 2000-Up	1	
21740A	Valve Body, AW55-50SN (Volvo Early)(No Letter Code)(Cast # 9165) 2000-Up	1	
21740A-1	Valve Body, AW55-50SN (Volvo & Nissan Early)(Cast Letter A)(Cast # 9167) 2000-Up	1	
21740AA	Valve Body, AW55-50SN (Volvo & Nissan, Late) (Cast Letter B Or C)(Cast # 9168)	1	
21740C	Valve Body, AW55-50SN (GM/Saturn/Saab, Late)(Cast Letter B Or C)(Cast # 9168)	1	
21740CA	Valve Body, AW55-50SN (GM/Saturn/Saab, Early)(Cast Letter A Or No Letter Code) (Cast # 9167)	1	
21740F	Valve Body, AW55-50SN (Nissan) 2005-Up	1	

PART #	VALVE BODY COMPONENTS	QTY	REFERENCE #
S21741ACK	Valve & Sleeve Kit, AW55-50SN Lock-Up Relay Control (Sonnax)	1	
S21741ADK	Valve & Sleeve Kit, AW55-50SN Solenoid Relay (Sonnax)	1	
S21741CAK	Valve & Spring Kit, AW55-50SN/AW55-51SN Secondary Regulator Valve (Sonnax)(Must Use Tool #T-F-59947-TL16)	1	
T-F-59947-TL16	Tool For S21741CAK	1	
S21741CCK	Valve & Sleeve Kit, AW55-50SN Lock-Up Control (Sonnax)	1	
S21741DDK	Valve & Sleeve Kit, AW55-50SN Solenoid Modulator Valve Capsule Kit (Valve, Sleeve, & Spring) (Sonnax)	1	
S21741H-1K	Valve Kit, AW55-50SN B4 Release (Contains: Valve, Spring, End Plug & O-Rings)(Sonnax) (Must Use T-F-59947-TL26)	1	
T-F-59947-TL26	Tool For S21741H-1K	1	
S21741LK	Piston Kit, AW55-50SN/AW55-51SN Line Pressure Control Accumulator (Sonnax) (Contains: Piston, 2 O-Rings & 2 Springs)	1	
S21741PK	Valve & Sleeve Assembly, AW55-50SN Oversized Pressure Regulator Valve & Spring With Main Boost Valve & Sleeve)(Sonnax)(Must Use /tool # T-F-59947-TL12)	1	
T-F-59947-TL12	Tool, Used With S21741PK	1	
S21741Q-6K	End Plug Kit, AW55-50SN/AW55-51SN (Sonnax)(Contains: Four 9mm End Plugs, One 11mm End Plug, 6 Small O-Rings & 2 Large O-Rings)	1	
S21741RK	Valve & Sleeve Kit, AW55-50SN Main Boost (Sonnax)	1	

PART #	HARDPARTS (Continued)	QTY	REFERENCE #
21746A	Cover, AW55-50SN / AW55-51SN Valve Body (2 Bolt, Aluminum) Cast #35475-50A010 2000-Up	1	
21750A	Bell Housing, AW55-50SN (Volvo) (5" Top Bolts) 2.958"OD Axle Seal (4 1/2" Thick) With 8 Threaded Holes Around Axle Seal (Cast # 9165) (Starter At 2:00) 2000-Up	1	
21750B	Bell Housing, AW55-51SN (Volvo) (3" Top Bolts) 2.480"OD Axle Seal (4 7/8" Thick) Uses An External Oil Cooler 2000-Up	1	
21750C	Bell Housing, AW55-50SN (GM) (5" Top Bolts) (2.145"OD Axle Seal)(4 11/16" Thick) (With 4 Threaded Holes Around Axle Seal) (Cast # 9191) (Starter At 3:00) 2005-Up	1	
21750D	Bell Housing, AW55-50SN (Saturn) (5" Top Bolts) (2.400"OD Axle Seal) 5" Thick (With 6 Threaded Holes Around Axle Seal) (Cast # 9194) (Starter At 4:00) 2002-Up	1	
21759A	Rear Cover, AW55-50SN (Volvo, GM, Saturn)(12 Bolt) (With .735"OD Bearing #223)(No Threaded Bosses At 12:00) 2000-Up (Can Use 21759AA)	1	
21759AA	Rear Cover, AW55-50SN (Volvo/GM Saturn) (12 Bolt, With .735"OD Bearing # 223)(With 3 Threaded Bosses At 12:00) 2000-Up	1	
21759B	Rear Cover, AW55-51SN (Volvo) (12 Bolt) (With .835"OD Bearing #223) (With 3 Threaded Bosses At 12:00) 2000-Up	1	
21759BA	Rear Cover, AW55-51SN (Volvo)(12 Bolt)(With .835"OD Bearing #223)(No Threaded Bosses At 12:00) 2000-Up (Can Use 21759B)	1	
21759BB	Rear Cover, AW55-51SN (Volvo)(13 Bolt)(With .835"OD Bearing # 233)(With 3 Threaded Bosses At 12:00) 2000-Up	1	
21759BBA	Rear Cover, AW55-51SN (Volvo)(13 Bolt)(With .835"OD Bearing #223)(With 3 Threaded Bosses Across The Bottom) 2000-Up	1	

21760A ..... Case, AW55-50SN (Volvo) (Black Tag) (With 3 Threaded Bosses Above Axle Seal And 1 Big Boss On Linkage Side) 2000-Up 1
21760B ..... Case, AW55-51SN (Nissan/Volvo) (Red Tag)(12 Bolt Rear Cover) 2000-Up (These Cases Are Sleeved) 1
21760BA ..... Case, AW55-51SN (Nissan/Volvo) (Red Tag)(Cast # 9193)(12 Bolt Rear Cover) 2000-Up (These Cases Are Sleeved) 1
21760BB ..... Case, AW55-51SN (Nissan/Volvo) (Red Tag)(13 Bolt Rear Cover) 2000-Up (These Cases Are Sleeved) 1
21760C ..... Case, AW55-50SN (GM) (Brown Tag) (No Bosses Above Axle SealAnd 3 Big Bosses On Linkage Side) (All The Same Height) 2005-Up 1
21760D ..... Case, AW55-50SN (Saturn) (Tan Tag) (No Bosses Above Axle Seal And Big Bosses On Linkage Side)(1 Boss Is Taller) 2002-Up 1
21760E ..... Case, AW55-51SN (Saab) (Yellow Tag) 2002-Up (These Cases Are Sleeved) 1
21766A ..... Pan, AW55-50SN (Volvo) Side (9 Bolt) (With Screw In Vent Fitting) 2000-Up 1
21766B ..... Pan, AW55-51SN (Volvo) Side (9 Bolt) (With Welded On Vent Tube) 2000-Up 1
21766C ..... Pan, AW55-50SN (GM) Side (9 Bolt No Vent) 2005-Up 1
21776AK ..... Bolt Set, AW55-50SN / AW55-51SN Bell Housing To Case (17 Pieces) 2000-Up 1
21777AK ..... Bolt Set, AW55-50SN / AW55-51SN Pump To Case 2000-Up 1
21778AK ..... Bolt Set, AW55-50SN / AW55-51SN Pump Stator To Body 2000-Up 1
21780AK ..... Bolt Set, AW55-50SN / AW55-51SN Rear Cover To Case (13 Pieces) 2000-Up 1
21782AK ..... Bolt Set, AW55-50SN / AW55-51SN Valve Body To Case (9 Pieces) 2000-Up 1
21786AK ..... Bolt Set, AW55-50SN / AW55-51SN Differential Ring Gear To Housing (12 Pieces) 2000-Up 1
21788AK ..... Bolt Set, AW55-50SN / AW55-51SN Side Pan (9 Pieces) 2000-Up 1
21789B ..... Bolt, AW55-51SN Holds Oil Cooler To Bell Housing 2000-Up 1
89795A ..... Nut, AW55-50SN / AW55-51SN Drive Transfer (2.375” At Flats) Right Hand Threads (2.000”ID) 2000-Up 1
21796A ..... Nut, AW55-50SN / AW55-51SN Holds Pinion To 4-5 Planet Sahft (.965”ID) 2000-Up 1
21854A ..... Cushion, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.041” Thick) 4.985”ID (5.630”OD) 2000-Up 1
21858A ..... Cushion, AW55-50SN Direct Clutch (.032”) 4 Teeth, Dished (3.600”ID) 2000-Up 1
21864A ..... Snap Ring, AW55-50SN / AW55-51SN Holds 4-5 Clutch Pressure Plate In Drum (.078”Thick) (4.840”OD) 2000-Up 1
21865A ..... Snap Ring, AW55-50SN / AW55-51SN Holds 4-5 Clutch Return Springs In Drum (.070” Thick) (2.135”OD) 2000-Up 1
21868A ..... Snap Ring, AW55-50SN / AW55-51SN Holds 4-5 Planet Ring Gear To Driven Transfer Gear (.079”Thick) (4.775”OD) (With Bent Ends) 2000-Up 1
21869A ..... Snap Ring, AW55-50SN / AW55-51SN Holds Driven Transfer Gear Cup Races Apart (.070” Thick) (3.660”OD) 2000-Up 1
89870A ..... Snap Ring, AW55-50SN / AW55-51SN 2nd Coast Clutch And Direct Clutch #878 (4 9/16”OD) (.079” Thick) 2000-Up 1-2
89871A ..... Snap Ring, AW55-50SN / AW55-51SN 2nd Coast Clutch (.040” Thick) (2.025”OD) 2000-Up 1
89873A ..... Snap Ring, AW55-50SN / AW55-51SN Holds 2nd Brake Clutch Pressure Plate In (.062” Thick) (6 5/8”OD) 2000-Up 1
21874A ..... Snap Ring, AW55-50SN / AW55-51SN Holds 2nd Clutch Piston Insert In Stator (.055” Thick) 4.775”OD (With Holes In Each End) 2000-Up 1
21876A ..... Snap Ring, AW55-50SN / AW55-51SN Holds Forward Clutch Pressure Plate In Drum (.063” Thick) 5.850”OD (4.490”ID) 2000-Up 1
21878A ..... Use 89870A 1
89879A ..... Snap Ring, AW55-50SN / AW55-51SN Forward & Direct Clutch Retainer (.040” Thick) (2.030”OD) 2000-Up 1
21882A ..... Snap Ring, AW55-50SN Holds Hub To Ring Gear (.054” Thick) (4.010”OD) 2000-Up 1
89883A ..... Snap Ring, AW55-50SN / AW55-51SN Retainer To Case (.080” Thick) (3.548”OD) 2000-Up 1
89884A ..... Snap Ring, AW55-50SN / AW55-51SN Low/Reverse Retainer (6 5/8”OD) (.047” Thick) 2000-Up 1
21885A ..... Snap Ring, AW55-50SN / AW55-51SN Holds Low/Reverse Clutch Pressure Plate In Case (.063” Thick) (6 9/16”OD) 2000-Up 1
21886A ..... Snap Ring, AW55-50SN Holds Low Sprag To Ring Gear (.039” Thick) (5.100”OD) 2000-Up 1
21888A ..... Snap Ring, AW55-50SN Holds Sun Gear From Going Into The Planet Too Far (.057” Thick) (1.332”OD) 2000-Up 1
89889A ..... Snap Ring, AW55-50SN / AW55-51SN Rear Hub To Ring Gear (.055” Thick) 5 1/4”OD (2 Holes In Ends) 2000-Up 1
21892A ..... Snap Ring, AW55-50SN / AW55-51SN Holds 1-2 Reverse Clutch Pressure Plate In (.099” Thick) (5.900”OD) 2000-Up 1
21893A ..... Snap Ring, AW55-50SN / AW55-51SN holds 1-2 Reverse Clutch Spring Retainer (.030” Thick) (2.808”OD) 2000-Up 1

PART #	HARDPARTS (Continued)	QTY	REFERENCE #
21905A	Servo Assembly, AW55-50SN 3rd Gear Band (With A 7/8" Thick Cover) (With 2 Stripe Pin) 2000-Up	1	
21905AA	Servo Assembly, AW55-50SN 3rd Gear Band (With A 7/8" Thick Cover)(With 1 Stripe Pin) 2000-Up	1	
21905B	Servo Assembly, AW55-51SN 3rd Gear Band (With A 2 1/2" Thick Cover) (With 1 Stripe Pin) 2000-Up	1	
21909AK	Cover Assembly, AW55-50SN 3rd Gear Band Servo (7/8" Thick)(Contains: Cover, Snap Ring #896, And Three O-Rings) 2000-Up	1	
21916A	Band Anchor, AW55-50SN / AW55-51SN 3rd Gear (With 5 Sided Head) 2000-Up	1	
21930A	Accumulator Assembly, AW55-50SN / AW55-51SN Forward & Direct Clutch (Piston Is .800"OD) 2000-Up	1	
21961A	Piston, AW55-50SN / AW55-51SN 4-5 Clutch (.475" Thick At The Edge) (4.500"OD) (1.970"ID) With Check Ball & 18 Spring Pockets 2000-Up	1	
21962A	Piston, AW55-50SN / AW55-51SN 2nd Clutch (Aluminum) .492" Thick (5.590"ID) 6 1/4"OD (No Inner O-Ring Groove) 2000-Up	1	
21962AA	Piston Insert, AW55-50SN / AW55-51SN 2nd Clutch (.315" Thick) 4.895"ID (5.580"OD) 2000-Up	1	
21964A	Piston, AW55-50SN Forward Clutch (1.850" Thick At Edge) (With 2 Check Balls) 2000-Up	1	
21964B	Piston, AW55-51SN Forward Clutch (1.790" Thick At Edge) (With 2 Check Balls) 2000-Up	1	
21965A	Piston, AW55-50SN Direct Clutch (Aluminum) .505" Thick At Edge (With Check Ball, 16 Spring Pockets) 2000-Up	1	
21965B	Piston, AW55-51SN Direct Clutch (Aluminum) .487" Thick At Edge (With Check Ball, 16 Spring Pockets) 2000-Up	1	
21966A	Piston, AW55-50SN / AW55-51SN 1-2 Reverse Clutch (.425" Thick At The Edge) 2.725"ID (5.505"OD) (With 22 Spring Pockets) 2000-Up	1	
89967A	Piston, AW55-50SN Low/Reverse Clutch (1.222" Thick) (6 1/4"OD) 2000-Up	1	
21967B	Piston, AW55-51SN Low/Reverse Clutch (1.175" Thick) (6 1/4"OD) 2000-Up	1	
21969A	Piston, AW55-50SN / AW55-51SN 2nd Coast Clutch (Aluminum) (.500" Thick) 2.035"ID (4.240"OD) (With 15 Spring Pockets) 2000-Up	1	
21976A	Spring W/Retainer, AW55-50SN / AW55-51SN 1-2 Reverse Clutch Return (22 Springs) 2.680"ID (3.988"OD) 2000-Up	1	
21981A	Spring W/Retainer, AW55-50SN / AW55-51SN 4-5 Clutch Return (18 Springs) .792" Thick (3.105"OD) 1.930"ID 2000-Up	1	
89982A	Retainer W/Springs, AW55-50SN 2nd Brake Clutch (12 Springs) 4.875"ID (5.800"OD) 2000-Up	1	
21982B	Retainer W/Springs, AW55-51SN 2nd Clutch (8 Springs) 4.875"ID (5.800"OD) 2000-Up	1	
89985A	Springs W/Retainer, AW55-50SN / AW55-51SN Forward & Direct Clutch Return (16 Springs) .950" Thick (3.125"OD) 1.840"ID 2000-Up	1	
89987A	Retainer W/Springs, AW55-50SN / AW55-51SN Low/Reverse Clutch (.775" Thick) 6 5/16"OD (15 Springs) 2000-Up	1	
89989A	Retainer W/Springs, AW55-50SN / AW55-51SN 2nd Coast Clutch (15 Springs) 1.840"ID (3.140"OD) 2000-Up	1	
21991A	Linkage Assembly, AW55-50SN / AW55-51SN (Internal) (5 Pieces) 2000-Up	1	
21995A	Park Pawl Assembly, AW55-50SN / AW55-51SN (6 Pieces) 2000-Up	1	
21998B	Oil Cooler, AW55-51SN External (1 Bolt) (3 7/8"OD) 2000-Up	1	
21999A	Oil Tube Set, AW55-50SN / AW55-51SN (3 Pieces) 2000-Up	1	